



**FACTORYCAT®**

**34**

Walk-Behind Sweeper for Quality Results


**34 INCH  
WORKING WIDTH**

Made in the USA 

**HEAVY DUTY  
RELIABLE CONSTRUCTION**



**Baghouse Filter and Beater Bar** provides unmatched particulate collection. Sweepers can pick up whole bags of cement at a time. In most cases the filter will last the lifetime of the machine.



**Maintenance is a snap.** There's no oil to change, brooms to reverse, fuel to spill, tanks to exchange, valves to grind. Just put the machine on charge after every shift.




**All steel construction** built to last even in the toughest applications. Able to withstand years of abuse.



**Time is money** and none gets wasted with our sweepers. Monthly labor savings reach thousands of dollars when you sweep with our 34 or TR.



**High Performance motors** provides an unmatched standard of cleaning.



**0 point turns** for no nonsense mobility. This gives the control and accuracy needed for heavy industrial cleaning without missing a spot.


No matter what you need to tackle, the Factory Cat 34 is able to handle your heavy-duty cleaning needs. Easily pick up metal shavings, foundry sand, woodchips, broken glass, paper, dirt and dust. In fact, this walk-behind sweeper can sweep up multiple bags of cement without leaving any dust behind or blowing it into the air, thanks to its polypropylene felt "baghouse" filter. Because the filter is cleaned by an on-board mechanism, it typically lasts the length of the machine.

Self-propelled, the Model 34 is easy to maneuver and operate. A tubular main broom vacuums up dirt and debris, throwing it into a steel hopper. Solidly built with high quality components, oversized motor and on board charger, the Factory Cat Model 34 is built to deliver many years of effective cleaning even in the harshest of environments.



#### Total Access to Components

- 1 Adjustable Handle
- 2 Broom Controls
- 3 Oversized Battery
- 4 Baghouse Filter
- 5 HD Hopper




#### Efficient, Effective, and Driven by Results

The Factory Cat 34 is your perfect choice when it comes to professional cleaning results in mid to large areas. These machines are tailor-made for applications in areas such as:

- Fabrication Shops
- Warehouses
- Machine Shops
- Automotive Shops
- Saw Mills
- Distribution Centers
- Foundries
- Fertilizer Packaging

Dustless sweeping combined with our hopper creates an unmatched sweeping experience. Easily pick up bags of cement in a single pass.

**View Inside the Factory Cat 34**  
**Designed with Attention to Detail**





# Technical Data

## FACTORY CAT 34 AT A GLANCE

### BODY CONSTRUCTION / DIMENSIONS

Chassis Construction:	1/8" (3 mm) Powder Coated Steel
Front Wheel (Diameter x Width):	6" x 2" (15 x 5 cm) - Non-Marking Solid Grey
Rear Wheels (Diameter x Width):	(2x) 10" x 2" ([2x] 25 x 5 cm) - Non-Marking Grey
Size (L x W x H):	58" x 31" x 38" (147 x 79 x 96 cm)
Weight (w/o Batteries):	295 - 345 lbs (134 - 156 kg)
Weight (w/ Standard Batteries):	425 - 475 lbs (193 - 215 kg)

### SWEEPING SYSTEM

Sweeping Method:	Direct Throw
Broom (Diameter x Length):	10" x 26" (25 - 66 cm)
Broom Power / Speed:	1.0 hp / 400 rpm (746 watts)
Side Broom Size:	(1x) 17" (43 cm)
Side Broom Power / Speed:	0.3 hp / 65 rpm (224 watts)
Hopper Capacity:	2.0 cubic ft. (56 liters)

### POWER SYSTEM

System Voltage:	12 VDC
Standard Battery:	175 ah WET*
<small>*Includes Onboard Charger</small>	
Optional Battery:	215 ah AGM
Run Time:	Up to 5 Hours**
<small>**Run times are based on continuous sweeping run times.</small>	
Charger:	120 VAC / 60 Hz Input - 12 VDC / 25 amp Output

### DRIVE SYSTEM:

Power:	1.0 hp - All Gear / Sealed (746 watts)
Speed Control:	0 - 237.6 ft/min / 0 - 2.7 mph (0 - 72.4 m/min / 0 - 4.3 km/h)

### FILTERING SYSTEMS:

Filtering Material:	Polymer Felt/Baghouse
Filter Rating:	1 Micron
Size:	5,192 sq. inches (3.35 sqm)
Vacuum Specs (Airflow):	250 cfm

### GENERAL:

Cleaning Width:	34" (86 cm)
Decibels:	61 dBA***
<small>***Decibel levels per ISO 11201 as recommended by the American Association of Cleaning Equipment Manufacturers &amp; OSHA</small>	
Productivity - Theoretical:	Up to 21,316 sqft (1,980 sqm)****
<small>****Productivity is based off of ISSA 2010 Cleaning Times</small>	
Productivity - Practical:	Up to 17,647 sqft (1,639 sqm)****
<small>****Productivity is based off of ISSA 2010 Cleaning Times</small>	

